



## Professional Mixing Paddles



**Part #: BNR001-Specify Diameter**

120 mm (4.75") or 140 mm (5.50")

**Overall length:** 60 cm (24")

This mixing paddle is designed for plasters, adhesive mortars, mortars, tile adhesives and fillers, best for sticky and viscous materials.

**Material Flow:** Bottom to Top

**Connection:** M14 x 2 male threads



**Part #: BNR002-57**

**Diameter:** 57 mm (2.25")

**Overall length:** 13.5"

This mixing paddle is designed for paints, lacquers, thin coatings, and ready-mix plaster. Use on BN6169 or drill.

**Material Flow:** Top to Bottom

**Connection:** 5/16" hex shank



**Part #: BNR003-Specify Diameter**

120 mm (4.75") or 140 mm (5.50")

**Overall length:** 60 cm (24")

This mixing paddle is designed for concrete, mortars, plasters, heat-insulating plasters, and epoxy resin with sand, best for heavy and high viscosity materials.

**Material Flow:** Top to Bottom

**Connection:** M14 x 2 male threads



**Part #: BNR004-Specify Diameter**

120 mm (4.75") or 140 mm (5.50")

**Overall length:** 60 cm (24")

This mixing paddle is designed for thinset, tile adhesive, grout, adhesive mortars, ready-mix mortars, and pointing mortars, and fillers, best for small volumes on high speed mixers.

**Material Flow:** Bottom to Top

**Connection:** M14 x 2 male threads



**Part #: BNR005-120**

**Diameter:** 120 mm (4.75")

**Overall length:** 60 cm (24")

This mixing paddle is designed for plasters, adhesive mortars, tile adhesive and fillers, best for sticky and viscous materials.

**Material Flow:** Bottom to Top

**Connection:** M14 x 2 m threads



## Professional Mixing Paddles



**Part #:** BNR006-100


**Diameter:** 100 mm (3.875")

**Overall length:** 60 cm (24")

This mixing paddle is designed for paints, lacquers, glazings, primers, and paste, best for small volumes of low viscosity materials. Recommended to use on BNR6169.

**Material Flow:** Top to Bottom

**Connection:** M14 x 2 male threads



**Part #:** BNR008-120 (paddles sold in pairs left & right)

**Diameter:** 120 mm (4.75") **Overall length:** 60 cm (24")

This mixing paddle is designed for concrete, cement, mortars, and grouts with aggregate less than 3/8" diameter. Also for gypsum lime plaster, fibrated aluminum roof coatings and paints. Not for highly viscous materials.

**Material Flow:** Top to Bottom

**Connection:** 13 mm or 1/2" Hex Shank, for BN6402A mixer.



**Part #:** BNR009-Specify Diameter

120 mm (4.75") or 140 mm (5.50")

**Overall length:** 60 cm (24")

This mixing paddle is designed for fillers, bitumen coatings, joint cement, epoxy-resin compounds, and grouting compounds, best for prevention of lump formation and lessens adding air into the mixture. Mixture flow is parallel.

**Connection:** M14 x 2 male threads



**Part #:** BNR010-Specify Diameter

120 mm (4.75") or 140 mm (5.50")

**Overall length:** 60 cm (24")

This mixing paddle is designed for gypsum-lime plaster, fibrated aluminum roof coatings, and paints. This paddle can be disassembled in two pieces and fit into a carrying case.

**Material Flow:** Top to Bottom

**Connection:** M14 x 2 male threads



**Part #:** BNR011-Specify Diameter

120 mm (4.75") or 140 mm (5.50")

**Overall length:** 60 cm (24")

This mixing paddle is designed for paints, lacquers, glazings, primers, and paste. This paddle can be disassembled in two pieces and fit into a carrying case.

**Material Flow:** Top to Bottom

**Connection:** M14 x 2 male threads